

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Revision date: 29/11/2022 Supersedes version of: 22/09/2022 Version: 12.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Silver Foam

UFI : VC00-W0DQ-H00S-1MMS

Product code : MIX004
Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use Use of the substance/mixture : Silver Polish

1.2.2. Uses advised against

Restrictions on use : Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Manufacturer Ot

Town Talk Polish Co Ltd Chemical Legislation Professionals (Northern Ireland) Ltd

Slater Lane

Number One Lanyon Quay
BL2 2TQ Bolton, BL2 2TQ

XI- BT1 3LG Belfast
UK

Northern Ireland

T +44 (0) 1204 520014 - F +44 (0) 1204 362778 T +44 (0) 1204 520014

<u>Products@towntalkpolish.com</u> - <u>www.towntalkpolish.com/</u> <u>Products@towntalkpolish.com/</u>

1.4. Emergency telephone number

Emergency number : +44 (0) 1204 529981 (9.00am - 5.00pm Monday- Friday UK time)

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|--|---|------------------|-----------------------------------|
| United Kingdom | National Poisons Information Service (Birmingham Centre) City Hospital | Dudley Road B18 7QH Birmingham | 0344 892 0111 | Only for healthcare professionals |
| United Kingdom | National Poisons Information Service (Cardiff Centre) University Hospital Llandough | Penlan Road CF64 2XX Cardiff | 0344 892 0111 | Only for healthcare professionals |
| United Kingdom | National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh | Little France Crescent EH16 4SA Edinburgh | 0344 892 0111 | Only for healthcare professionals |
| United Kingdom | Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust | Avonley Road SE14 5ER London | +44 20 7188 7188 | |
| United Kingdom | National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre | 16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB Newcastle | 0344 892 0111 | Only for healthcare professionals |
| United Kingdom | National Poisons Information Service (Belfast Centre) Royal Victoria Hospital | Grosvenor Road BT12 6BA Belfast | 0344 892 0111 | Only for healthcare professionals |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 1 H318
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

None under normal use.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS05 GHS07

Signal word (CLP) : Danger

Contains : Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts, Dodecane-1-thiol, 1,2-

benzisothiazol-3(2H)-one

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P280 - Wear protective gloves, eye protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a doctor, a POISON CENTER.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P501 - Dispose of contents/ container in accordance with local regulations.

Extra phrases : See Section 15 for labelling information in accordance with Regulation (EC) No.648/2004 on

detergents.

Child-resistant fastening : Not applicable Tactile warning : Not applicable

2.3. Other hazards

Other hazards which do not result in classification : None under normal conditions.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

| Component | |
|--|--|
| Silicium dioxide (Silicium dioxide/Kieselguhr) (61790-53-2) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| Diiron trioxide (1309-37-1) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| QUARTZ (14808-60-7) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Component | | |
|---|--|--|
| Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII | |
| Dodecane-1-thiol (112-55-0) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII | |
| titanium dioxide (13463-67-7) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII | |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|-------|--|
| Silicium dioxide (Silicium dioxide/Kieselguhr) substance with national workplace exposure limit(s) (GB) | CAS-No.: 61790-53-2 EC-No.: 612-383-7 | < 70 | Not classified |
| Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts | CAS-No.: 68411-30-3 EC-No.: 270-115-0 REACH-no: 01-2119489428- 22 | < 20 | Acute Tox. 4 (Oral), H302 (ATE=1080 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412 |
| Diiron trioxide substance with national workplace exposure limit(s) (GB) | CAS-No.: 1309-37-1 EC-No.: 215-168-2 REACH-no: 01-2119457614- 35 | 1 – 5 | Not classified |
| QUARTZ substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit | CAS-No.: 14808-60-7 EC-No.: 238-878-4 REACH-no: 01-2120770509- 45 | < 1 | Not classified |
| Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) substance with a Community workplace exposure limit | EC-No.: 919-446-0 REACH-no: 01-2119458049- 33 | <1 | Flam. Liq. 3, H226 STOT SE 3, H336 STOT RE 1, H372 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 (M=0) EUH066 |
| Dodecane-1-thiol | CAS-No.: 112-55-0 EC-No.: 203-984-1 REACH-no: 01-2119491318- 31 | ≤1 | Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10) |
| titanium dioxide substance with national workplace exposure limit(s) (GB) | CAS-No.: 13463-67-7 EC-No.: 236-675-5 EC Index-No.: 022-006-00-2 | < 0.5 | Carc. 2, H351 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|------------------------------|---|-------|--|
| 1,2-benzisothiazol-3(2H)-one | CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 | < 0.1 | Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 |

| Specific concentration limits: | | |
|---|--|--|
| Name | Product identifier | Specific concentration limits |
| Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts | CAS-No.: 68411-30-3 EC-No.: 270-115-0 REACH-no: 01-2119489428- 22 | (65 ≤C < 100) Acute Tox. 4 (Oral), H302 |
| 1,2-benzisothiazol-3(2H)-one | CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 | (0.05 ≤C ≤ 100) Skin Sens. 1, H317 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory

symptoms, call a doctor.

First-aid measures after skin contact : Take off contaminated clothing and wash it before reuse. Gently wash with plenty of soap

and water. If symptoms persist call a doctor.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. In case of contact,

immediately rinse eyes with plenty of water for at least 15 minutes. If eye irritation persists:

Get medical advice/attention.

First-aid measures after ingestion : If swallowed: rinse mouth. Do NOT induce vomiting. Drink plenty of water. Get medical

advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : None

Symptoms/effects after skin contact : May cause an allergic skin reaction. Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : None.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing agent suitable for surrounding fire. Dry chemical, CO2, or water spray or

regular foam.

Unsuitable extinguishing media : None.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Sulphur oxides.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

Firefighting instructions : Do not allow run-off from fire-fighting to enter drains or water courses.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes.

6.1.1. For non-emergency personnel

Protective equipment : For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Contain and collect as any solid. After cleaning, flush traces away with water. If spilled, may

cause the floor to be slippery.

6.4. Reference to other sections

SECTION 8. SECTION 11. SECTION 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep out of reach of children. Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Incompatible products : Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Silver Polish.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Diiron trioxide (1309-37-1) | |
|---|--|
| United Kingdom - Occupational Exposure Limits | |
| Local name Rouge | |
| WEL TWA (OEL TWA) [1] | 4 mg/m³ respirable 10 mg/m³ total inhalable |
| Regulatory reference | EH40/2005 (Third edition, 2018). HSE |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| QUARTZ (14808-60-7) | | |
|---|--|--|
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| Local name | Silica crystaline (Quartz) | |
| IOEL TWA | 0.05 mg/m³ (respirable dust) | |
| Remark | (Year of adoption 2003) | |
| Regulatory reference | SCOEL Recommendations | |
| United Kingdom - Occupational Exposure Limits | | |
| Local name | Silica | |
| WEL TWA (OEL TWA) [1] | 0.1 mg/m³ respirable crystalline | |
| Regulatory reference | EH40/2005 (Third edition, 2018). HSE | |
| Hydrocarbons, C9-C12, n-alkanes, isoalkanes | , cyclics, aromatics (2-25%) | |
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| Local name | White spirit Type 1 | |
| IOEL TWA | 116 mg/m³ | |
| IOEL TWA [ppm] | 20 ppm | |
| IOEL STEL | 290 mg/m³ | |
| IOEL STEL [ppm] | 50 ppm | |
| Remark | Skin. (Year of adoption 2007) | |
| Regulatory reference | SCOEL Recommendations | |
| Silicium dioxide (Silicium dioxide/Kieselguhr) (61790-53-2) | | |
| United Kingdom - Occupational Exposure Limits | | |
| Local name | Diatomaceous earth, natural | |
| WEL TWA (OEL TWA) [1] | 1.2 mg/m³ respirable dust | |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE | |
| titanium dioxide (13463-67-7) | | |
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| Local name | Titanium dioxide | |
| Remark | (Ongoing) | |
| Regulatory reference | SCOEL Recommendations | |
| United Kingdom - Occupational Exposure Limits | | |
| Local name | Titanium dioxide | |
| WEL TWA (OEL TWA) [1] | 4 mg/m³ respirable 10 mg/m³ total inhalable | |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE | |
| | | |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.4. DNEL and PNEC

| 5.1.4. DNEL and PNEC | | | |
|--|---|--|--|
| Diiron trioxide (1309-37-1) | | | |
| DNEL/DMEL (Workers) | | | |
| Long-term - systemic effects, inhalation | 10 mg/m³ | | |
| Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3) | | | |
| DNEL/DMEL (Workers) | | | |
| Long-term - systemic effects, dermal | 85 mg/kg bodyweight/day | | |
| Long-term - systemic effects, inhalation | 6 mg/m³ | | |
| Long-term - local effects, inhalation | 6 mg/m³ | | |
| DNEL/DMEL (General population) | | | |
| Long-term - systemic effects,oral | 425 μg/kg bodyweight/day | | |
| Long-term - systemic effects, inhalation | 1.5 mg/m³ | | |
| Long-term - systemic effects, dermal | 42.5 mg/kg bodyweight/day | | |
| Long-term - local effects, inhalation | 1.5 mg/m³ | | |
| PNEC (Water) | | | |
| PNEC aqua (freshwater) | 268 μg/L | | |
| PNEC aqua (marine water) | 26.8 μg/L | | |
| PNEC aqua (intermittent, freshwater) | 16.7 μg/L | | |
| PNEC (Sediment) | PNEC (Sediment) | | |
| PNEC sediment (freshwater) | 8.1 mg/kg dwt | | |
| PNEC sediment (marine water) | 6.8 mg/kg dwt | | |
| PNEC (Soil) | | | |
| PNEC soil | 35 mg/kg dwt | | |
| PNEC (STP) | | | |
| PNEC sewage treatment plant | 3.43 mg/l | | |
| Hydrocarbons, C9-C12, n-alkanes, isoalkanes | Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | | |
| DNEL/DMEL (Workers) | | | |
| Acute - systemic effects, inhalation | 570 mg/m³ | | |
| Long-term - systemic effects, dermal | 21 mg/kg bodyweight/day | | |
| Long-term - systemic effects, inhalation | 330 mg/m³ | | |
| DNEL/DMEL (General population) | | | |
| Acute - systemic effects, inhalation | 570 mg/m³ | | |
| Long-term - systemic effects,oral | 21 mg/kg bodyweight/day | | |
| Long-term - systemic effects, inhalation | 71 mg/m³ | | |
| Long-term - systemic effects, dermal | 12 mg/kg bodyweight/day | | |
| 1,2-benzisothiazol-3(2H)-one (2634-33-5) | | | |
| DNEL/DMEL (Workers) | | | |
| Long-term - systemic effects, dermal | 966 μg/kg bodyweight/day | | |
| Long-term - systemic effects, inhalation | 6.81 mg/m³ | | |
| | | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| 1,2-benzisothiazol-3(2H)-one (2634-33-5) | | |
|--|--------------------------|--|
| DNEL/DMEL (General population) | | |
| Long-term - systemic effects, inhalation | 1.2 mg/m³ | |
| Long-term - systemic effects, dermal | 345 μg/kg bodyweight/day | |
| PNEC (Water) | | |
| PNEC aqua (freshwater) | 4.03 μg/L | |
| PNEC aqua (marine water) | 0.403 μg/L | |
| PNEC aqua (intermittent, freshwater) | 1.1 µg/L | |
| PNEC aqua (intermittent, marine water) | 0.11 μg/L | |
| PNEC (Sediment) | | |
| PNEC sediment (freshwater) | 49.9 µg/kg dw | |
| PNEC sediment (marine water) | 4.99 µg/kg dw | |
| PNEC (Soil) | | |
| PNEC soil | 3 mg/kg dwt | |
| PNEC (STP) | | |
| PNEC sewage treatment plant | 1.03 mg/l | |

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Good standard of general ventilation.

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

EN 166

8.2.2.2. Skin protection

Hand protection:

Protective gloves made of latex. Nitrile rubber gloves, natural rubber gloves. PVC gloves. EN 374

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : red.

Appearance Opaque. Paste. Odour Perfume. Odour threshold Not available Melting point Not available Freezing point Not available Boiling point : Not available Flammability : Not available **Explosive limits** : Not available : Not available Lower explosion limit : Not available Upper explosion limit Flash point : > 100 °C Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : 4.5 – 6 Viscosity, kinematic : Not available Solubility : Miscible with water.

Partition coefficient n-octanol/water (Log Kow)

Vapour pressure

Vapour pressure at 50°C

Density

Relative density

Relative vapour density at 20°C

Not available

Not available

Not available

Not available

: Not applicable

9.2. Other information

Particle characteristics

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Keep away from heat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. On combustion, forms: sulphur oxides.

Safety Data Sheet

Aspiration hazard

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| SECTION 11: Toxicological information | | | |
|---|---|--|--|
| 11.1. Information on hazard classes as define | d in Regulation (EC) No 1272/2008 | | |
| Acute toxicity (oral) : Acute toxicity (dermal) : Acute toxicity (inhalation) : | Not classified Not classified Not classified | | |
| Benzenesulphonic acid, C10-13-alkyl derivs., | sodium salts (68411-30-3) | | |
| LD50 oral rat | 1080 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) | | |
| LD50 oral | 1080 mg/kg bodyweight | | |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) | | |
| LD50 dermal | > 2000 mg/kg bodyweight | | |
| Hydrocarbons, C9-C12, n-alkanes, isoalkanes | s, cyclics, aromatics (2-25%) | | |
| LD50 oral rat | > 15000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) | | |
| LC50 Inhalation - Rat | > 1.58 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) | | |
| Dodecane-1-thiol (112-55-0) | | | |
| LD50 oral rat | ≥ 5000 mg/kg bodyweight Animal: rat, Animal sex: male | | |
| LD50 dermal rat | ≥ 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) | | |
| LC50 Inhalation - Rat | ≥ 7.04 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) | | |
| Skin corrosion/irritation : | Causes skin irritation. | | |
| Serious eye damage/irritation : | pH: 4.5 – 6 Causes serious eye damage. pH: 4.5 – 6 | | |
| Respiratory or skin sensitisation : | May cause an allergic skin reaction. | | |
| Germ cell mutagenicity : | Not classified | | |
| Carcinogenicity : Reproductive toxicity : | Not classified Not classified | | |
| Dodecane-1-thiol (112-55-0) | rect diagonieu | | |
| NOAEL (animal/male, F0/P) | 250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) | | |
| STOT-single exposure : | Not classified | | |
| Hydrocarbons, C9-C12, n-alkanes, isoalkane | s, cyclics, aromatics (2-25%) | | |
| STOT-single exposure | May cause drowsiness or dizziness. | | |
| STOT-repeated exposure : | Not classified | | |
| Hydrocarbons, C9-C12, n-alkanes, isoalkane | s, cyclics, aromatics (2-25%) | | |
| NOAEL (dermal, rat/rabbit, 90 days) | ≥ 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) | | |
| STOT-repeated exposure | Causes damage to organs through prolonged or repeated exposure. | | |
| Dodecane-1-thiol (112-55-0) | | | |
| NOAEL (oral, rat, 90 days) | 50 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated | | |

10/17 29/11/2022 (Revision date) EN (English)

: Not classified

Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | |
|---|---|
| Viscosity, kinematic | 1.2 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)' |

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term :

: Not classified

(acute)

Hazardous to the aquatic environment, long-term

: Toxic to aquatic life with long lasting effects.

(chronic)

| \ / | |
|--------------------------------------|---|
| Benzenesulphonic acid, C10-13-alkyl | derivs., sodium salts (68411-30-3) |
| LC50 - Fish [1] | 1.67 mg/l |
| EC50 - Crustacea [1] | 2.9 mg/l Test organisms (species): Daphnia magna |
| EC50 - Other aquatic organisms [1] | 2.9 mg/l waterflea |
| EC50 - Other aquatic organisms [2] | 127.9 mg/l |
| NOEC (chronic) | 1.18 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| Hydrocarbons, C9-C12, n-alkanes, iso | palkanes, cyclics, aromatics (2-25%) |
| EC50 72h - Algae [1] | 0.94 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| EC50 72h - Algae [2] | 0.53 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| EC50 96h - Algae [1] | 1.2 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| EC50 96h - Algae [2] | 0.58 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| Dodecane-1-thiol (112-55-0) | · |
| LC50 - Fish [1] | > 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |
| EC50 - Crustacea [1] | 1 – 10 mg/l Test organisms (species): Daphnia magna |
| | |

12.2. Persistence and degradability

| Silver Foam | | |
|---|---|--|
| Persistence and degradability | Product is biodegradable. This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. | |
| Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3) | | |
| Persistence and degradability | Readily biodegradable. | |
| Biodegradation | 100 % | |
| Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | | |
| Persistence and degradability | Readily biodegradable. | |
| Biodegradation | 100 % | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Dodecane-1-thiol (112-55-0) | |
|-------------------------------|----------------------------|
| Persistence and degradability | Not readily biodegradable. |
| Biodegradation | 0 % |

12.3. Bioaccumulative potential

| Silver Foam | | |
|--|---------------------------|--|
| Bioaccumulative potential | Bioaccumulation unlikely. | |
| Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3) | | |
| Bioconcentration factor (BCF REACH) | 87 L/kg ww | |
| Partition coefficient n-octanol/water (Log Pow) | 3.32 | |
| Partition coefficient n-octanol/water (Log Kow) | 1.4 @ 23°C | |
| Bioaccumulative potential | Bioaccumulation unlikely. | |

12.4. Mobility in soil

| Silver Foam | |
|----------------|--|
| Ecology - soil | Miscible with water. Expected to be highly mobile in soil. |

12.5. Results of PBT and vPvB assessment

Silver Foam

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: This material and its container must be disposed of as hazardous waste.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|--|--|--|--|--|
| 14.1. UN number or ID n | umber | | | |
| UN 3082 |
| 14.2. UN proper shippin | g name | | | |
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Dodecane-1-thiol) |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR | IMDG | IATA | ADN | RID |
|---|---|--|---|---|
| Transport document descr | iption | | | |
| UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Dodecane-1-thiol), | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Dodecane-1-thiol), | UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Dodecane-1- thiol), 9, III | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Dodecane-1-thiol), | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Dodecane-1-thiol), |
| 9, III, (-) | 9, III, MARINE POLLUTANT | | 9, III | 9, III |
| 14.3. Transport hazard | class(es) | | | |
| 9 | 9 | 9 | 9 | 9 |
| *************************************** | ************************************** | *************************************** | ************************************** | • |
| 14.4. Packing group | | | 1 | |
| III | III | III | III | III |
| 14.5. Environmental haz | ards | | | |
| Dangerous for the environment: Yes | Dangerous for the environment: Yes Marine pollutant: Yes | Dangerous for the environment: Yes | Dangerous for the environment: Yes | Dangerous for the environment: Yes |
| No supplementary information | n available | I | I | I |

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001
Special packing provisions (IMDG) : PP1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

 IBC packing instructions (IMDG)
 : IBC03

 Tank instructions (IMDG)
 : T4

 Tank special provisions (IMDG)
 : TP2, TP29

 EmS-No. (Fire)
 : F-A

 EmS-No. (Spillage)
 : S-F

 Stowage category (IMDG)
 : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Detergent Regulation (648/2004)

Allergenic fragrances > 0.01 %:

COUMARIN

LIMONENE

LINALOOL

Hexyl cinnamal

| Ingredient data sheet | | |
|--|------------|----------|
| Component | CAS-No. | % |
| Kaolin, calcined | 92704-41-1 | ≥10% |
| Water | 7732-18-5 | ≥10% |
| Silicium dioxide (Silicium dioxide/Kieselguhr) | 61790-53-2 | ≥10% |
| White mineral oil (petroleum) | 8042-47-5 | 1 - 10% |
| SODIUM DODECYLBENZENESULFONATE | 68411-30-3 | 1 - 10% |
| Diiron trioxide | 1309-37-1 | 1 - 10% |
| Parfum | | 1 - 10% |
| Dodecane-1-thiol | 112-55-0 | 1 - 10% |
| Octadecane-1-thiol | 2885-00-9 | 0.1 - 1% |
| Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | | 0.1 - 1% |
| Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated | 25322-68-3 | 0.1 - 1% |
| TITANIUM DIOXIDE | 13463-67-7 | 0.1 - 1% |
| QUARTZ | 14808-60-7 | 0.1 - 1% |
| LINALOOL | 78-70-6 | <0.1% |
| Dipropylene glycol | 25265-71-8 | <0.1% |
| LIMONENE | 5989-27-5 | <0.1% |
| COUMARIN | 91-64-5 | <0.1% |
| Hexyl cinnamal | 101-86-0 | <0.1% |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | <0.1% |
| BENZISOTHIAZOLINONE | 2634-33-5 | <0.1% |

| Labelling of contents | |
|--|---|
| Component | % |
| aliphatic hydrocarbons, anionic surfactants 5-15 | |
| BENZISOTHIAZOLINONE | |
| perfumes | |

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

Diiron trioxide

Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

titanium dioxide

SECTION 16: Other information

| Indication of changes | | | |
|-----------------------|--------------|--------|-----------|
| Section | Changed item | Change | Comments |
| 1.3 | | Update | addresses |

| Abbreviations ar | nd acronyms: |
|------------------|--|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| CAS-No. | Chemical Abstract Service number |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC50 | Median effective concentration |
| EC-No. | European Community number |
| IATA | International Air Transport Association |
| | IBC Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IMO) |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| NOAEL | No-Observed Adverse Effect Level |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| vPvB | Very Persistent and Very Bioaccumulative |

Data sources

: ECHA (European Chemicals Agency). Supplier's safety documents.

| Full text of H- and EUH | I-statements: |
|-------------------------|-----------------------------------|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: | |
|-------------------------------------|--|
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Carc. 2 | Carcinogenicity, Category 2 |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H336 | May cause drowsiness or dizziness. |
| H351 | Suspected of causing cancer. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Skin Corr. 1C | Skin corrosion/irritation, Category 1, Sub-Category 1C |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1A | Skin sensitisation, category 1A |
| STOT RE 1 | Specific target organ toxicity – Repeated exposure, Category 1 |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Narcosis |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.